SAFETY - FLOTATION

Onyx A/M-24 **Automatic / Manual** Inflatable Life Jacket (PFD)

 Automatically inflates upon immersion in water or when the wearer pulls the inflation handle

 Lightweight, low profile design keeps you cool in warm weather without limiting movement

 Soft neoprene neckline for all day comfort Reflective piping for greater visibility

 ReliaPull Guide for predictable inflation and assists in repacking

 Durable ripstop fabric resists tears and punctures Convenient, reusable mesh storage/carry bag

Universal size fits adults over 80 lbs.

Not approved for children under 16 years of age

 U.S. Coast Guard Approved Type V Life Jacket/ Personal Flotation Device (PFD) with Type III Performance

No. KEN 13200050000415 - Blue No. KEN 13200010500414 - Pink

Onyx General Onyx Purpose Vest 4-Pack \$7/199



· Clear, reusable storage/carry bag with breathable mesh

 Four vests - 2 blue with black belts, 2 red with blue belts

Nylon oxford fabric with adjustable belts

No. KEN M701BLR99



EN 14210010500216

Youth Rapid-Dry Vests

Aqua/Pink

 Features a stretchable Rapid-Dry material to provide greater range of motion and increased

Lightweight, durable flotation foam

· Bright colors for greater visibility on the water

• Fits children 50-90 lbs. - Type III



FLEWT Multi Sport Type III

USCG Approved

 Soft feel 150 denier polyester fabric

 1" Adjustable belts and chest strap for a snug fit and complete mobility

· Color: Pink

ONO ADDITION	Size
OMG 40310CLD OMG 40310YTH OMG 40310UNV	Child (30-50 lbs.) Youth (50-90 lbs.) Universal Adult
THE RESERVE OF THE PERSON NAMED IN COLUMN TWO	THE PERSON NAMED IN COLUMN TWO IS NOT THE OWNER.

MORE VESTS IN THE WATERSPORTS SECTION ON P47!

FLOWT

Multi Sport TYPE III

USCG Approved

 Light weight without sacrificing performance and durability

 Soft feel 150 denier polyester fabric

· Color: Red

		The second second
No.	Size	Price
OMG 40302CLD OMG 40302YTH	Child (30-50 lbs.) Youth (50-90 lbs.)	\$32.49
OMG 40302UNV	Universal Adult	\$32.49 \$37.99
	ATTENNA	The second second

FLEWT All Purpose Vest

TYPE II/III INFANT, CHILD, YOUTH, USCG APPROVED

· Infant vest has closed sides to eliminate possible strap chafing

Infant vest includes a leg strap, heads up pillow, and grab strap for quick retrieval (fits infants less than 50 lbs.) Type II

Child vest features a leg strap for added safety (fits children 30-50 lbs.) Type III

Youth vest fits 50-90 lb Type III



(30-50 lbs.) (50-90 lbs.) ss than 50 lbs.) (30-50 lbs.)	Color Blue Blue Blue Red Red Red
	Size ess than 50 lbs) (30-50 lbs.) (50-90 lbs.) ess than 50 lbs.) (30-50 lbs.) (50-90 lbs.)

TYPE III ADULT. **USCG APPROVED**

· Open-sided styling for adjustability

Large armholes for greater



		4
No.	Size	Color
OMG 40201UNV	Universal Adult	Blue
OMG 40202UNV	Universal Adult	Red
OMG 402010S	Oversize Adult	Blue

KENT **General Purpose** Vest

Specially designed for the general boater who is looking for comfort, style and safety in an affordable vest. Infant type II & child, youth and adult type III





Unique shaped foam back

150 denier poly-twill

 Zippered front with waist belts and leg strap to keep vest from riding up or shifting

· Lightweight, durable flotation foam

• Fits 30-50 lb. children - Type III


No.	Description	Price
KEN 104310	Ladybug	\$29.99
KEN 10430020000115 KEN 104300500	Dinosaur	\$29.99
KEN 104300105	Turtle	\$29.99
NEW 104300105	Princess	\$29.99



Adult Dual-Sized Nylon Ski Vest

90 lbs. and over

Designed for the water sports enthusiast looking for style, comfort, and



200 denier nylon oxford fabric for durability

Adjustable belts and chest strap

U.S. Coast Guard Approved Type III

Size Color KEN 1122RED030 S/M 32-40" Chest Red/Black KEN 1122RED050 L/XL 40-52" Chest Red/Black KEN 1122RED080 2XL/4XL 50-60" Chest Red/Black KEN 1122BLU030 S/M 32-40" Chest Blue/Black KEN 1122BLU050 L/XL 40-52" Chest Blue/Black KEN 1122BLU080 2XL/4XL 50-60" Chest Blue/Black



SAFETY

Weems & Plath

SOS Distress Light - Electronic Flare

Meets U.S.C.G requirements to completely replace traditional pyrotechnic flares. Flashes ONLY the SOS light sequence


- · Floats with lens-up to optimize both the allaround horizontal and vertical light beams
- No expiration or disposal issues · Visible up to 10 nautical miles
- Battery-operated (requires 3 C-cell Alkaline)

No. WNP C1001

KENT Adult Foam Vest

Flexible construction using rugged nylon covers provides carefree convenient storage. U.S.C.G. approved. For adults 90# and up.







Boaters Safety Kit

- Generally Suitable For 17' to 24' Boats. Contains:

 4 adult PFD's

 1 pr. Dock lines (38") • 1 pr. Dock lines (3/8" x 15")
- 1 ea. Boat cushion
- 1 ea. Anchor Line (3/8" x 100" • 1 ea. 8# anchor • 1 ea. 5: BC Fire Extinguisher
- 2 ea. Shackle
- 1 ea. Galv. anchor chain • 1 ea. Flare Kit • 1 ea. First Aid Kit
- 1 ea. Horn
- No. MES CGKIT2

C-Strobe™ Manual Activated **Personal Distress Strobe Light**

The slim, lightweight and versatile design fits easily in a pocket or hangs discreetly when attached to a life jacket or backpack. For location assistance during low-light emergencies.

- Extensive continuous operating life of greater than 120 hours
- •Waterproof Tested for 24 hrs at 3.3 ft. (1m) Impact resistant case
- Uses two "AA" 1.5V batteries (not included) USCG/SOLAS Approved

No. ACR 39651



- ventilation
- · Drainage hold in bottom
- · Constructed from heavy duty PVC vinyl

No. KEN 420719



REBATES AVAILABLE. SEE STORE FOR DETAILS!

or visit HomePortNet.com

ORION Alerter Basic 12-Gauge **Launcher and 4 Red Aerial** Signals

The perfect signal to build your own safety kit, when combined with handheld red signals and orange smoke.

• 12-Gauge Safety Launcher Corrosion resistant with lifetime warranty and bandolier that can hold up to 6 high performance signals

 Four 12-Gauge High Performance Red Aerial Signals USCG approved as a day or nighttime signal; altitude up 500° Average Candlepower: Up to 16,000 candela Average Burn Time: Up to 7 seconds

Exceeds US Coast Guard minimum requirements

No. ORN 584



ORION 12-Gauge High Performance **Alert/Locate Signaling Kit**

This kit designed for Inland and Coastal boaters: contains aerial, handhelds and smoke signalling devices.

- 12-Gauge Safety Launcher Corrosion resistant with lifetime warranty and bandolier that can hold up to 6 High Performance Signals
- 4 12-Gauge High Performance Red Aerial Signals
- U. S. Coast Guard Approved
- · 4 Handheld Red Signal Flares
- 2 Handheld Orange Smoke Signal
- Storage Canister

No. ORN 544

20.00 Rebate



Kit Contains:

- 3 Red Handheld Flares
- 3 12-Gauge Red High

No. ORN 866



KENT Boat Cushions Foam

Polyethylene foam filled Type IV U.S.C.G. approved. Colors: Red, White, Blue

No. KEN 8078R - Red No. KEN 8078W - White

No. KEN 8078B - Blue



OR ON 12-Gauge High **Performance Alert/** Locate

PLUS, Aerial, Handheld, Smoke, and First Aid Kit

- A complete signal and first aid kit in a floating storage bag includes:
- 12-Gauge Safety Launcher w/ Bandolier
- · 4 12-Gauge High Performance Red Aerial Signals

4 Handheld Red Signal Flares

- 1 Handheld Orange Smoke Signal
- 1 General First Aid Medication & Wound Module
- 1 Storage Bag

No. ORN 549

\$20.00 Rebate

OR ON

4 Handheld Red Signal Flares

Average brightness: 700 candela Average burn time:

3 minutes each

· U.S. Coast Guard approved for day and night use

No. ORN 865

OR ON High Performance 12-Gauge Red Aerial

Burns longer, goes higher, and brighter than the standard 12-gauge signal.

- · 4- 12-gauge HP red aerial flares
- · Altitude: Up to 500'
- . Brightness: Up to 16,000 candela
- . Burn time: Up to 7 seconds
- · Approved day or night
- Exceeds Coast Guard miniumum requirement

No. ORN 539



OR ON

Pocket Rocket Red Aerial Flares

These compact launchers and meteors are sure to be attractive to the economy minded boater because of its low initial price and even lower replacement cost.10,000 C.P. Burn time: 6.5 seconds. Altitude: Approx. 300'.

No. ORN 528



Orange Distress Flag

Heavy-duty vinyl construction that measures 3 square feet, Comes complete with 4 12" nylon ties for easy display. Packed in a resealable storage bag. USCG approved.

No. ORN 925





SAFETY

Inflatable Throw Device

- · Auto inflates when submerged
- . Thrown fully inflated or packed.
- · Easily re-packed and re-armed.
- Re-use multiple times.
- · Fits in a backpack or ditch bag.
- . Minimum Buoyancy 20 lbs (90N).
- · Highly visible · Made in the USA

No. THW 2401 - Throw Device



Easily mountable on most center consoles bulkheads, and sailboat railings.

No. THW 3303 - Mounting Case





The system consists of an easy to install xHUB™ mounted in your boat and a wearable xF0B™. The two communicate wirelessly with each other. M0B+ Wireless Kill Switch offer a range of wearable options for you to be most comfortable using the system. The xFOB has more than 300 hours of battery life, and is powered by an easy to change standard coin cell battery. The xHUB connects to your boats power system (12V-24V) and to your engine stopping system. Intuitive and easy to use via a one-click user interface. Just click the xFOB once when you enter your boat and you are ready to go!

MOB+™ Wireless Kill Switch

MOB+™ Basepack

MOB+™ Basepack is our base option to get started. In the Basepack you get all you need to start using MOB+ Wireless Kill Switch. The Basepack consists of the xHUB™, xFOB™, Cables, Antenna, Cable Splices, User Manual and a CR2032 Battery for the xFOB.

No. FMI 72380206

MOB+™ xFOB™

Everyone using the boat can have their personal wireless kill switch. The xHUB remembers up to 20 xF0Bs, just pair more units and anyone using the boat can enjoy the freedom onboard. Only one connection is allowed at one time, preferably the driver. Combine the xFOB with either the xTAG™ or a xBAND™

No. FMI 72380209

MOB+™ xBAND™

Choose your personal color for your xBAND. The xBAND is in some cases available in color and brand from your boat and engine manufacturer.

No. FMI 72380301 - Red No. FMI 72380302 - Black





MOB+™ xTAG™

With the xTAG you can choose to wear the xFOB around your neck, clip it on your life jacket or belt. The xTAG can also be placed on pets or small children.

No. FMI 72380307



Marine First Aid Kits

No.	Kit Name	No. Pcs.	Boat Size	Price	
ORN 962	Runabout	38	16-23'	\$12.99	Cruiser Kit
ORN 963	Fish N' Ski	74	16-23'	\$21.99	ORN 965
ORN 964	Weekender	146	18-25'	\$36,99	THE TATE
ORN 965	Cruiser	158	25-32'	\$59.99	



Kwik Tek LIFE LINE™ Rescue

You'll be astonished how easy it is to throw this 50 ft. rescue line with incredible accuracy to a swimmer in trouble. Keep LIFE LINE accessible by hanging it from a boat rail or other convenient spot with the integrated strap with side release buckle. Easy to understand and implement directions with graphics are printed on the outside. Constructed of rugged bright orange,

UV-resistant 600-denier polyester.


No. KWK LL1



Rescue Rope Throw Bag

- · Easy-toss Bag
- · Floating polypropylene marine-grade rope
- 70 ft. rope length

No. KEN 15280030007513



M-BUOY Ring Buoy

U.S. Coast Guard approved. The finest Sof-Tex surface resists weather and temperature extremes. Will not rot or mildew and may be easily cleaned with soap and water. All white. Also available in orange.

No. CAL G19 - 19" No CAL G20W - 20" No. CAL G24W - 24"

20

SEPPOGLINE

Stainless Ring **Buoy Bracket**

Stainless steel brackets install on side of deckhouse, hold approved ring buoys up to 30" ready for instant use. Also excellent for hanging docking and anchor lines for drying.

No. SDG 4912401



Mariner 10BC

- · U.S. Coast Guard approved with included brackets
- · Professional pressure gauge
- UL rated 10-B.C
- · Limited and multi-purpose
- · Six-year limited warranty No. KID 466628N



Mariner 5BC

- · U.S. Coast Guard approved with included bracket
- U.L. rated 5-B.C.
- Professional pressure gauge
- · Six year limited warranty No. KID 466635N





24"

SEA-FIRE Manual/ **Automatic** Extinguishing System


All FG systems operate automatically through heat activation. However the boat operator has the option of pulling a discharge cable which activates the fire system.

- Pressure gauge
- Protective guard
- · Pressure switch · Mounting bracket
- · Indicator light and bezel
- · Installation, operation and maintenance manual

No.	Max Vol. Protected	Price
SFR FG25M	25 cu. ft.	\$259.99
SFR FG75M	75 cu. ft.	\$346.99
SFR FG150M	150 cu. ft.	\$547.99
SFR FG200M	200 cu. ft.	\$631.99

PEBOY - XINIEX Carbon Monoxide Detector

Multiple Location Warning **Low Battery Current Draw** Stylish and Sleek Design Quality and Reliability Built-in



· Our time-weighted average CO measurement process constantly monitors all CO levels eliminating most false alarms

No. FRB CMD5MBO



ANCHORING AND DOCKING

Hull-Gard Inflatable Fenders

Oval shape to minimize roll. Integral eyelets to stand the constant pull and tug of everyday usage. Pre-inflated to just the right pressure for maximum effectiveness.

White	Blue	Black	Size	Price
	TAY 41021		4½ x 16"	\$17.39
TAY 1022	TAY 41022	TAY 31722	5% x 20"	\$21.49
	TAY 41023		6½ x 23"	\$31.59
TAY 1028	TAY 41028	-	8½ x 27"	\$55.99
	7,100		ACCUSE.	400.00



Built-in needle bivalve™ lets you control the level of inflation. Recommended inflation is two psi. Tubular center for end-to-end line passage. Ribbed sides to minimize rolling out of position.

White	Black	Size	Price
TAY 1025	TAY 71025	6 x 15"	\$44.89
TAY 1026	TAY 71026	8 x 20"	\$61.99
TAY 1032	TAY 71032	10 x 26"	\$98.99



Fleece Fender Boots

Specially designed to fit CRTTM (Center

Rope Tube) style fenders. These will provide your boat with the ultimate in hull protection. No

marring or o	color transfer	to	40
No.	Size	Color	Price
TAY 9031	8" x 20"	Black	\$37.99
TAY 9032	10" x 26"	Black	\$43.49
TAY 9035	8" x 20"	Navy	\$38.69
TAY 9036	10" x 26"	Navy	\$49.99



Junicond

Braided Fender Lines

Color Double Braided Sold in pairs. 6ft in length with an eye on one end

No.	Size	Color	Price
UNI DB386BK	3/8" x 6'	Black	\$9.99
UNI DB386WH	3/8" x 6'	White	\$9.99
UNI DB386NB	3/8" x 6'	Navy Blue	\$9.99
UNI DB386BL	3/6" x 6'	Blue	\$9.99



	Color	Price
6'	Black	\$9.99
6'	White	\$9.99
6'	Navy Blue	\$9.00
6'	Rine	\$0.00

JUNICORD

Twisted

Fender Lines

Taylor Super Gards

Designed specifically for 1" square tube rails of

Pontoon Boats. Made from quality marine grade

components -- simple height adjustment for lines

Injection molded valve seat houses needle valve for easy inflation. Specially formulated marine grade vinyl. Molded-in rib construction. Double molded black ends for added strength. Seamless one piece molded construction. Extra strength and size rope hole.

White with Black Ends	Blue with Black Ends	Size (D x L)	Boat Size	Dring
TAY 950520 TAY 950622 TAY 950824 TAY 950128	TAY 951520 TAY 951622 TAY 951824	5½ x 20" 6½ x 22" 8½ x 26"	up to 25' 20 - 35' 30 - 45'	\$29.99 \$45.99 \$70.99
INT 300120		10% x 30"	35 - 60'	90 00



1/4" x 6"

Nylon 3 strand Twisted Sold in pairs. 6ft in length with an eye on one end

No. UNI 146FL - 1/4" x 6" No. UNI 386FL - 3/8" x 6"



Fender Boots

Now made with extra stretchy and seamless nylon material for that Taylor Made fit. Improved fade resistance.

No.	Color	Fender Size	Price
TAY 5042	Black	6" x 15" & 6-1/2" x 23"	\$25.99
TAY 5043	Black	8" x 20" & 8-1/2" x 27"	\$29.99
TAY 5044	Black	10" x 26" & 10-1/2" x 30"	\$35.99
TAY 5002	Blue	6" x 15" & 6-1/2" x 23"	\$25.99
TAY 5003	Blue	8" x 20" & 8-1/2" x 27"	\$29.99
TAY 5004	Blue	10" x 26" & 10-1/2" x 30"	\$35.99

(Kwik Tek)

Telescoping Paddle

Adjusts easily to variable lengths with a simple twist. 25-1/2 - 72 inches



Aluminum Telescoping Boat

Regular: 2 section, 4' to 7-1/2', adjustable pole. Boat hook head is glass reinforced nylon. 1" and 1-1/8" diameter

Deluxe: 3 section, 3-1/2' to 8', adjustable pole. 1", 1-1/8" and 1-1/4" diameter.


No. GAR 55190 - Telescoping Boat Hook No. GAR 55170 - Deluxe Telescoping Boat Hook

Regular

Deluxe

a attwood SoftSide Pontoon Fender

Molded from lightweight engineered polymeric composite that is soft to the touch and easy on your pontoon.



No leaky air valves

· Guaranteed for life

· Made in the USA

No. ATT 935361



up to 5/8" No. TAY 1139

Dock ProTM **Vinyl Dock** Edging



Commercial Grade Double Molded Profiles

Sold in 10' lengths.

No.	Description	Dimensions	Price
TAY 46030	Side Guard	3½"H x 1¾"W	\$45.99
TAY 46031	P-Shape	3½"H x 2"W	\$35.69
TAY 46032	P-Shape	3½"H x 2¾"W	\$35.99



Monarch moor whips

Nor'Easter Moor Whips

Designed to keep your boat safe in all types of weather. Made of solid fiberglass.

No. MON 0 - (12' poles) to 20' boat No. MON I - (14' poles) to 23' boat No. MON II - (16' poles) to 30' boat


MONI

MON II



StepSafe **Dock Stens**

Molded in durable UV resistant polyethylene, our dock steps are offered in three different tread step models. On the top of each step, StepSafe non-slip pad adhered for additional slip protection while boarding. 1-1/2" wide flange provides adequate mounting surface for docks. Cleans easily with soap and water. Additional hand rails are available for two and three step models, sold separately.







ANCHORING AND DOCKING

LEWMAR®



Pro-Sport Windlass

Features

- · Dual direction powered operation
- · Manual freefall
- . Maximum pulling power: 500 lbs
- . Typical working load 110 lbs
- · Convenient above-deck installation
- · For boats from 20-30ft
- · 3-year warranty

Includes: mounting hardware, toggle switch and circuit breaker

LEWMAR'

LEWMAR'

316 Stainless Steel
 Swivels 360 Degrees

3/8", 1/2" and 7/16"

Chain Size

1/4" and 5/16

3/8", 1/2" and 7/16'

Chain Size

1/4" and 3/8

No. LEW 6656811967303

Chain Stopper

Made from 316

stainless steel.

When the windlass

is not in use and

anchor, the chain

should be secured

LEW 66840069

Anchor Swivel

the boat is at

using a chain

stopper.

Motor power/draw: 500W/35A . Maximum pull: 700 lbs.

. Typical working load: 175 No. LEW 6656011967310

Rope size: 1/2", chainsize: 1/4"

700H

1000H for Boats up to 45'

- Rope size: 9/16"-5/8", chain size: 5/16"
- Motor power/draw: 700W/50A
- · Maximum pull: 1000 lbs.
- . Typical working load: 250 No. LEW 66570111081

Rocker Switch & Solenoid Included in all Lewman

Pro-Fish 700/1000 Freefall Windlass

· 316 stainless steel freefall mechanism

Pro-Series 700H/1000H

Built in Manual Recovery

No jigsaw required.

700H for Boats up to 35'

mounting studs.

Stainless Steel Windlass

· Durable 100% 316 Stainless Steel housing

· Efficient & Reliable with fast line speeds

· Design optimized for easy all-in-one

installation with tool included.

Supplied with unique fast

- · All the features and benefits of Pro-Series, plus freefall
- · Freefall operation can be disengaged to power down

Pro-Fish 700

· Pro-Fish conversion kit available from Jan 06 for retrofit to Pro-Series

• Rope size: 1/2", chain size: 1/4"

Motor power/draw: 500W/35A

. Maximum pull: 700 lbs.

. Typical working load: 175

No. LEW 6656211967310



Pro-Fish 700

Pro-Fish 1000

Pro-Fish 1000

- Rope size: 9/16"-5/8". chain size: 5/16"
- . Motor power/draw: 700W/50A
- . Maximum pull: 1000 lbs.
- · Typical working load: 250

No. LEW 66564111081

V700 Vertical Windlass

- 316 Stainless Steel deck unit, control arm and stripper
- · "FallSafe" gypsy lock to take load off geartrain at anchor & prevent accidental deployment while underway
- · 82' per Minute maximum line speed
- Uses 1/2" Rope with 1/4" chain
- 12 volt 320 watt
- · Maximum pulling 700 lbs.
- . Typical working load 175 lbs. No. LEW 6670011108312

Premium 8-Plaited

1/4" and 5/16"

Nylon Anchor Rodes

LEW SWIVEL312F

LEW SWIVEL500F



LEWMAR


Anchor Rodes



· Carries the same tensile strength as 3-Strand.

- · 8-Plait will not twist and knot up
- · Will not loop over onto itself.

Rode Chain Rope Size ength



All rodes feature ACCO Hi-Test, hot-dipped galvanized chain

No.	Chain	Rope Size	Rode Length	Price
LEW 69000332	10'	150'	160'	\$249.99
LEW 69000334	15'	200'	215'	\$299.99
LEW 69000335	15'	300'	315"	\$409.99

LEWMAR **DTX® Stainless Steel Anchor**

Made from 316 stainless steel. the DTX® anchors feature exceptional anti-corrosion performance and the enhanced aesthetics. Utilizing lead ballast encapsulated

withinthe tip of the anchor to achieve the perfect center of gravity, the DTX® offers the initial bite and holding reliability that users of our Delta™ anchors have come to expect. Every DTX® anchor is warrantied for 3 years against breakage.

No.	Weight	Boat Size	Price
LEW 0057206	14 lbs.	*20-31 feet	\$299.99
LEW 0057210	22 lbs.	*28-40 feet	\$459.99
LEW 0057216	35 lbs.	*34-46 feet	\$679.99

*Boat sizes are approximate

LEWMARA

Delta Fast-Set Anchors

Self-launching and fast-setting for quick anchoring without dragging. Designed to snugly fit a bow roller, the Delta can be dropped and retrieved without handling the anchor itself. Accommodates all chain and rope end fittings.

No. LEW 0057404 - 9 lbs.

No. LEW 0057406 - 14 lbs.

No. LEW 0057410 - 22 lbs.





Super Hooker **Anchors**

The lightweight, hot dipped galvanized SUPER HOOKER anchor has strong, wide flukes that penetrate quickly and firmly for maximum holding power. The SUPER HOOKER stows flat and can be used with most fluke type anchor storage systems.

No.	Size	Boat Length	Price
TIE 95035	#4	12-16'	\$24.99
TIE 95040	#8	17-24'	\$28.99
TIE 95045	#13	25-30'	\$39.99
TIE 95050	#18	31-34'	\$49.99
TIE 95055	#22	35-38'	\$69.99
TIE 95060	#40	38-43'	\$179.99



ANCHORING AND DOCKING

SEPPOGLINE Mushroom Anchors

Popular black vinyl coated anchors at great prices. Coating helps clean anchor when retrieved from sand, muck or weed bottoms.

No. Size SDG 314168 8 lbs e

		1.1100
SDG 314168	8 lbs.	\$24.99
SDG 314170	10 lbs.	\$29.99
SDG 314175	15 lbs.	\$38.99

SEMDOGLIME River Anchors

Cast Iron.



No.	Size	Weight	Price
Aluminum Pai	nt:		FIRST STR
SDG 314208	8	8.6 lbs.	\$21.99
SDG 314212	12	13.7 lbs.	\$34.99
SDG 314218	18	19.1 lbs.	\$49.99
Black Vinyl Co	ating:		
SDG 314268	8	8.6 lbs.	\$24.99
SDG 314272	12	13.7 lbs.	\$39.99
SDG 314278	18	19.1 lbs.	\$49.99

Super Hooker Anchor Kit

Kit includes:
1- Super Hooker
Anchor, 1-coil
of 3/8" x 100'
nylon anchor
line w/thimble,
1-coil of 1/4" x 6'
galvanized chain,
2 each 5/16"
shackles



No.	Size	Price
TIE 95095	#8	\$110.99
TIE 95100	#13	\$129.99

Sunicond Nylon Dock Lines

Quality nylon line, 3 strand twisted. Each line has an eye splice on one end ready for use. Absorbs shock loads. Can be stowed wet without damage. Remains pliable. Heat set yarn and four stage construction for less yellowing

and shrinkage.
Pairs.
5/8" and
3/4"
sold each.

No. Size Price

No.	Size	Price
UNI 3815PR	%" x 15' Pr.	\$12.99
UNI 3820PR	%" x 20' Pr.	\$17.99
UNI 3825PR	%" x 25' Pr.	\$19.99
UNI 1215PR	½" x 15' Pr.	\$24.99
UNI 1220PR	½" x 20' Pr.	\$25.99
UNI 1225PR	½" x 25' Pr.	\$29.99
UNI 5825SGL	%" x 25' Ea.	\$27.99
UNI 3425SGL	¾" x 25' Ea.	\$34.99
UNI 3435SGL	¾" x 35' Ea.	\$59.99

Navy Anchors No. SDG 314510 - 7 lbs. No. SDG 314515 - 15 lbs. No. SDG 314520 - 20 lbs. \$2499 7 lbs. \$3999 15 lbs. \$4499

20 lbs.

Hooker Quik-Set
The HOOKER QUIK-SET
design with the UCIF-Label

The HOOKER QUIK-SET design, with the "Slip Lok" shank insures a proper set regardless of which way the anchor lands. The slip design permits easy retrieval in snag prone areas. Hot Dipped Galvanized

No.	Model	Size	Boat Length	Price
TIE 95006	5HQ	3.5	10' to 15'	\$13.49
TIE 95011	7HQ	4.5	15' to 19'	\$15.49
TIE 95016	10HQ	5	20' to 24'	\$19.99
TIE 95021	13HQ	6.5	25' to 28'	\$24.99

Junicond

Nylon Anchor Lines

Quality nylon line, 3 strand twisted. Each line has a thimble spliced into one end. Best for anchoring— absorbs shock loads. Can be stowed wet without damage.

Price
\$19.99
\$29.99
\$49.99
\$49.99
\$69.99
\$99.99



Unicond

Premium Double Braid Nylon Dock Lines

Our "Braid on Braid" Dock Lines have become the most easily recognized and popular Dock Lines available. Manufactured from 100% nylon in jacket and core, this braided Dock Line has superior shock absorbing elasticity and will not rotate, kink or hockle under a load. Easy handling, this line can be stored wet and is highly resistant to rot, oil, grease, gasoline and chemicals.



DOMESTIC STREET, SALES					
White No.	Gold/White No.	Diameter x Length	Breaking Strength	White Price	WH/Gold
UNI DB3815WH UNI DB3820WH	UNI DB3815GW	%" x 15'	3,700 lbs	\$10.99	\$11.99
UNI DB3825WH	UNI DB3820GW	%" x 20'	3,700 lbs	\$13.99	\$16.99
UNI DB3625WH	UNI DB3825GW	%" x 25'	3,700 lbs	\$18.99	\$18.99
UNI DB1215WH	UNI DB1215GW	1/2" x 15'	6,550 lbs.	\$15.99	\$18.99
UNI DB1225WH	UNI DB1220GW	½" x 20'	6,550 lbs.	\$20.99	\$21.99
UNI DB1223WH	UNI DB1225GW	½" x 25'	6,550 lbs.	\$24.99	\$24.99
UNI DB5825WH	UNI DB1230GW	1/2" x 30'	6,550 lbs.	.\$28.99	\$29.99
UNI DB5830WH	UNI DB5825GW	%" x 25'	10,200 lbs.	\$39.99	\$39.99
UNI DB5835WH	UNI DB5830GW	%" x 30'	10,200 lbs.	\$39.99	\$39.99
UNI DB3435WH	UNI DB5835GW	%" x 35'	10,200 lbs.	\$44.99	\$49.99
UNI DB3435WH		¾" x 35'	14,700 lbs.	\$64.99	
					7,700

BLACK	BLUE	Diameter	Breaking	
No.	No.	x Length	Strength	Price
UNI DB3815BK	UNI DB3815BL	%" x 15'	3,700 lbs	\$13.99
UNI DB3820BK	UNI DB3820BL	%" x 20'	3,700 lbs	\$18.99
UNI DB3825BK	UNI DB3825BL	%" x 25'	3,700 lbs	\$19.99
UNI DB1215BK	UNI DB1215BL	1/2" x 15"	6,550 lbs.	\$19.99
UNI DB1220BK	UNI DB1220BL	1/2" x 20'	6,550 lbs.	\$23.99
UNI DB1225BK	UNI DB1225BL	1/2" x 25'	6,550 lbs.	\$24.99
UNI DB1230BK	UNI DB1230BL	1/2" x 30'	6,550 lbs.	\$25.99
UNI DB5825BK	UNI DB5825BL	%" x 25'	10,200 lbs.	\$39.99
UNI DB5830BK	UNI DB5830BL	%" x 30'	10,200 lbs.	\$39.99
UNI DB5835BK	UNI DB5835BL	%" x 35'	10,200 lbs.	\$59.99
UNI DB3435BK		1/4" x 35'	14,700 lbs.	\$89.99

SEMDOG SEPDOGLINE Vinvl **Galvanized Screw** Coated **Anchor Pin Anchor Shackles** Chains Size Size SDG 147804 SDG 147811 \$0.89 SDG 312933 3/6" x 3" \$14.99 SDG 147806 1/11 \$0.99 SDG 147812 1/2" SDG 312944 14" x 4" \$21.99 SDG 147808 3/6" \$1.19 SDG 147816 5/11 SDG 312955 5/6" x 5' SDG 147810



LIGHTING

PERKO Stealth Series - LED Fold Down White All-Round Light

- For use on vessels under 65.6' in length.
- · 2 nm visibility
- · Plastic Adapter Available for Flat or "V" Type Mounts, Contains Notch for Through-Base Wiring
- · Fold-Down, Adjustable Angle
- · Reduced Glare Design
- Base Dimensions: 2" x 1-1/2"
- 13-3/8" Vertical Height




No.	Description	Price
PER 1636DPOCHR PER 1639DPOCHR	Horizontal Mount" Vertical Mount"	\$89.99 \$89.99

SEPPOGLINE

LED Fold Down All Around Light

Injection Molded Nylon/Chrome Plated Zinc. LED Fold Down All Around Lights are approved for USCG 2NM





24"




No

SDG 4000121

Incandescent Anchor/Masthead Lights

Three-mile, 360° light visibility for use on boats up to 65.6 ft. (20 meters). Assembly includes LightArmor™base. 12 Volt. Vertical Mounted with rail adaptor and Composite: Black Base





· Will collapse and not break if accidentally hit

No.	Heigth	Price
ATT 7201P7	12"	\$46.99
ATT 7202P7	20"	\$55.59

SEPPOGLINE

LED Fold Down All Around Pontoon Light

Injection Molded Polycarbonate Fold Down All Around Pontoon Lights are approved for USCG 2 NM (Colreg 2 mile) Mounts on 1-1/4" square tubing.



Order No.	Heigth	Price
SDG 4000231	9"	\$49.99
SDG 4000261	24"	\$59.99



Stealth Series - LED **Horizontal Mount Bi-Color Light**

- · For use on power vessels under 39.4' in length
- · 1 mile visibility
- · Stainless Steel Horizontal Mount
- 12 Volt

No. PER 0615DP2STS 2-1/2" L x 2-5/8" W x 1/2" H

SEPPOGLINE

LED Navigation

LED Navigation Lights are approved for USCG 2 NM. Note: One pair includes one starboard (green) and one port (red) light. No. SDG 4000711

Over 100 Styles of Navigation Lights Available for ANY Vessel, Many with LED Technology!





Bi-Color Hide-Away **Combination Sidelight**

Power Vessels to 65.6 Feet A special swivel hide-away feature provides for a clear, flush bow when not in use.

 Incorporated switch automatically turns light off when closed/on when opened

 High quality 316 stainless steel housing; polycarbonate lens

• 12V/10W bulb

\$48.79

\$59.99

4.33"L x 3.03"W x 2.13"D; cut-out is 3.54" x 2.68"

No. AQS 246007

SEPROGLINE

LED Transom Light -

Stamped 304 Stainless

 LED Transom Lights are approved for USCG 2 NM (Colreg 2 mile). 12 volt.

No. SDG 4000601 - 3-3/16" Diameter





LED Combination Bow Light

· Stamped 304 Stainless

 LED Navigation Lights are approved for USCG 2 NM No. SDG 4000501

SEPDOGLIII

LED Top Mount Navigation Lights

· Stamped 304 Stainless

. LED Navigation Lights are approved for USCG 2 NM No. SDG 4000351





2-Contact Zamak Base



PERKO Plug-In Type 2-Contact

Finish: Chrome/Black

No. PER 1045P00DP



PERKO "Reduced Glare" **All-Round Replacement Poles**

Glare from standard lights can reduce night vision of the operator and impair his or her ability to see approaching vessels, obstructions and navigational aids. PERKO's "Reduced Glare" design focuses the beam of light above the operators line of sight, thus limiting glare and improving overall night vision.

Straight Base	Length	Price
PER 1440DP4CHR	36"	\$33.99
PER 1440DP5CHR	42"	\$34,49
PER 1440DP6CHR	48"	\$41.79
5° Base		
PER 1445DP4CHR	36"	\$33,49
PER 1445DP5CHR	42"	\$37.69
PER 1445DP6CHR	48"	\$41.79

PERKO

Replacement Plug-in **Type Lights**

This unit has been designed to fit Perko figs. 1330, 1430, 1530, 1630 and 1631, as well as many competitive pole lights. Anodized aluminum. Black plastic top. Base not included.

No.	Size	Price
PER 1400DP2CHR	24"	\$36.59
PER 1400DP3CHR	30"	\$37.69
PER 1400DP4CHR	36"	\$38.69
PER 1400DP5CHR	42"	\$39.69
PER 1400DP6CHR	48"	\$40.79

a attwood Portable Light Kit

Ideal for personal water craft, camping, and hunting. Kit includes red/green LED bow light, white LED stern light, quick-release mounts. pole, and hardware.

· Water-resistant bow and stern navigation

150+hour run-time on three AAA batteries (not included)

No. ATT 141907 - Grav





LIGHTING

SEPPOGLINE

Stainless Steel LED Dome Light

5" LED Dome Light has 20 white LED's per light and is equivalent to a 15 watt incandescent bulb. No. SDG 4002031

SEPPOGLINE **Stainless Dome Lights**

Polished stainless steel housing, trimming and a solid glass lens. Light is prewired with an on/off switch.

No. SDG 4002001 - 5" 15 watt No. SDG 4002101 - 3" 10 watt



LED Stainless Steel Spotlight w/ Remote

IP67 Stainless Spotlight features a 7", 12 LED array, and IP67 stainless construction. Creates approx. 3 times concentrated spot diameter while drawing roughly half the power of comparable halogen spotlights. Wireless communication using mounted bridge or hand held remote.

No. MAR 23050A



Wireless Remote Spot Light

- Universal 12/24 volt circuit with bright 100W, H3 halogen bulb
- UV resistant, IP56 Weatherproof ABS housing and Lexan® lens · Double 0-ring sealed housing, designed for the harsh marine
- environment-moisture, salt, shock and vibration tested 370° sweep and 120° Tilt (75° up and 45° down)
- · Wireless dash mount remote standard;
- · 5-Year limited warranty

MAR SPL12W





135SL Remote Control lem brand 100,000 C.P. Searchlight

Complete with 15' cable. Tough weather and corrosion resistant, sealed-beam halogen bulb that produces dusk-to-dawn piercing light, through 320° rotation and 75° vertical sweep.

No. ITT 600200000



SeaBlaze3 Underwater Light

Lumitec's SeaBlaze3 underwater light has firmly established itself as the benchmark for value in underwater lighting. Boasting light output equal to that of competitors costing 3 to 5 times more. Surface mount for fast easy installation. Brushed Finish. Completely self contained with no external driver boxes to mount. 2.5amps @12volt. 1.1 amps@24volt

LUM 101055 White LUM 101056 Blue \$289.00 **LUM 101058** White/Blue \$289.00



....

SeaBlaze Mini - Underwater Lights

SeaBlaze Mini leverages many of the technologies utilized in the world's most popular underwater light, the SeaBlaze3, to ensure years of trouble free service. With an actual MEASURED output of more than 700 lumens, there is simply no better value in underwater lighting. Perfect for smaller trailer boats, skiffs, or dinghies. Sold as a pair.

NO.	Light Output Color	Price
LUM 101245	White	\$269.00
LUM 101246	Blue	\$269.00



High Intensity LED Underwater Lights

Affordable and Totally Waterproof Compared to other LED models, this 600 lumen light has greater light output and a wider aperture.

- Surface Mount or Small Hole for Wiring
- 100,000 Hour Life
- Stainless Steel Hardware Included Also Suggested for Transoms, Trim-Tabs and T-Tops
- · Above or below waterline
- · Dimensions: Surface

No. THM LED51866 – White No. THM LED51867 – Blue No. THM LED51868 – Green Check Out Our Reference Catalog for Dozens of Additional LED Interior Lights!



Search Light

GOLIGHT Remote is capable of turning the light on/off and rotating it 370° horizontally and 135° vertically. 12 volts, 400,000 candle power.

- · Dash-mounted remote with 20' wiring harness
- Encased gears and motors.
- · Salt water & highest UV protection available.
- Tested to meet or exceed SAE standards.
- · CR5 Pentabeam Technology.
- · Three Year Limited Warranty. No. GLT 2020





Stryker Light

GOLIGHT

The Stryker light boast a remarkable 500,000 TRUE candlepower and an exclusive 5 year warranty. A new mounting system utilizes a stainless steel mounting plate which under-locks to the light for a quick, simple, and sturdy installation. A wireless dash control can be mounted permanently which also eliminates the need to route a harness from the light to the dash control. A wireless hand held remote is also available. The controls will turn the light on/off, and rotate it 370°horizontally and 135°

White w/Wireless Remote No. GLT 3100



vertically.

Stanchion Mount Halogen Searchlight

- Wireless Remote Control
- Integral Bi-Color Navigation Lights
- 12" Stainless Steel Stanchion that fits in a 2 or 3 Prong Bow Socket
- 360° Rotation x 90° Tilt
- 80,000 Candela, Max Beam Distance 1,857 ft
- . 5 amps at 13.8V (Minimum 7 amp fuse required)Courses

Package Includes:

- · Wireless Hand Held Remote
- 12" Stanchion w/ Nav Lights
- · Nylon Storage Bag

No. GLT 2151



SENDOGLINE LED Spot Light

IP67 waterproof rating. 5-year warranty.

Powder Coated Aluminum This LED spot light features our control station remote as the primary controller. Battery operated remote control 405683-1 sold separately. Two speed motor. 355° horizontal rotation range and 50° vertical range, with jam protection. 4000 lumens.



		-
No.	Description	Price
SDG 4056263	LED Spot Light	\$999.99
SDG 4056831	Wireless Remote	\$79.99

LIGHTING



Recessed LED Puck Light Low Profile LED Light - Smooth Look



- · Great for Under Cabinets, Rod Lockers, Utility Bins, Etc
- Hidden Fasteners
- 3" Diameter 6 Brite LEDs
- · Requires 2" hole diameter.

No. THM LED51847 No. THM LED51849 Blue



- · Completely sealed for outdoor or indoor use
- · Perfect for accent lighting and as a courtesy light for steps and walkways
- Dimensions: 3.35" x 1.22" W x 0.9" D


No. AQS 164217

SEPPOGLINE

Light/Motion Activated

LED Cabinet Light The light/motion activated cabinet light has 4 super bright LED's and can be

mounted in any enclosed area using the provided strip of two-sided tape. The light is battery powered and uses 3 AAA



No. SDG 2271541



4-LED Courtesy Surface Mount Lights

- 9-16 Volt
- Rated @ 200,000 Hours of Service Life
- . Energy Draw 26 Milliamps
- 4 LEDs Dimensions: 1.57 L x .82" W x .57" D





Caprera2 Bracket Mount

Flood Lights

Two-color technology provides amazing white output with elegant blue and night visionpreserving red. Fully sealed and, as with all Lumitec products, proudly designed and manufactured in the USA.

Voltage: 10 - 30vDC 24vDC Amps: 450mA Lumens (White): 610 Height: 1.65in (4.20cm)

12vDC Amps: 990mA Rated Watts: 12 Width: 4.49in (11.41cm) Depth: 2.83in (7.20cm)

Light Output Color LUM 101102 White Dimming, Blue Dimming LUM 101103 White Dimming, Red Dimming

\$159.00 \$159.00



Caprera LT Flood **Lights Bracket Mount White Non Dimming**

Lumitec's Caprera family have established the benchmark for quality performance, and value in LED flood replacements for 55W halogens. With more than 1,000 integrating sphere tested lumens Compatible with most PWM LED dimmers.

Voltage: 10 - 30vDC 24vDC Amps: 600mA

12vDC Amps: 1.3A Rated Watts: 12

No. LUM 101292



Hella

- · Flood Beam . Mounting Brackets and Hardware Included
- Dimensions 3.2"W x 2.9"H x 3.2"D

Specifications

Housing: Die-cast Aluminum

Bracket: Stainless Steel

Lens Material: PC Calculated/Raw Lumen: 1440 Im

No. HEL H71020211





OPTILUX Mini Light Bar 6 LED / 6"

OPTILUX Cube 4 LED

Driving Lamp



- Low power consumption 18W per lamp
- · Creates a driving beam pattern and cool white color to increase visibility in the far distance
- Dimensions 6.3"W x 1.8"H x 2.5"D

Specifications:

Housing Die-cast Aluminum Bracket Stainless Steel Lens Material PC Calculated/Raw Lumen 1440 Im

No. HEL H71020511



4 Color LED Down Light

- · Auto scrolling: Daylight White/Blue/ Red/Green
- 1-7/8" Mounting Hole, Flush/Spring Clip Mount
- Switch OFF/ON within 1.5 seconds to change color
- · Auto resets to White when turned off
- . Daylight White 110 Lumens
- 2.6 Watt
- 8-30VDC
- · IP67
- 316 Stainless Steel

\$7499

No. SVK 41416P



SEPPOGLINE LED Square Spot/Flood Light Powder Coated Aluminum/Stamped 304 Stainless

Bracket

This marine grade LED Spot/Flood light has 10 super bright LEDs and a stainless steel mounting bracket. IP67 waterproof rating.

No. SDG 4053403

3-1/2" W x 4-3/4" H x2-3/4" D





SEMPOGLIME USB Map Light

Add light anywhere a USB port is present. This USB map light features 10 bright LEDs and a flexible

7" gooseneck that can rotate 360° illuminating any dark corner. A three function touch switch provides a full 10 bulb brightness mode as well as a 5 bulb half as bright mode. Light head is detachable for easy

No. SDG 4265601



5**28**99



LED Interior Dome Lights

These LED interior dome lights offers the convenience of warm white and red LED's in a look to complement most interiors. Warm white LED's provide a more natural color setting especially in living spaces and closely resembles incandescent light. Switch over to the red LED's for night vision in cockpits or steering stations.

- · Three position rocker switch white/off/red
- . 21 warm white & 9 red LED's
- Dimensions: 5-1/2" round

No.	Description	Price
AQS 166017	Stainless Steel Housing	\$64.99
AQS 166027	White Plastic Housing	\$51.99



ELECTRICAL

SEMDOGLIME



Wave Rocker Switch Breaker Panel Injection Molded Nylon/5 Illuminating Switches

- Wave Rocker Switch Panel includes five Illuminating Rocker Switches rated at 25A 12VDC or rated at 15A 24VDC.
- · Panel uses thermal resettable breakers.
- Comes with label decal sheet. Label decals are back lit with green LED's.
- Panel Dimensions 6-1/2" x 4-1/2" Cutout size 5-1/2" x 3-1/2"

No. SDG 4258001

Pocket Sized Lithium Jump Starters



Pocket Sized Lithium Jump Starters

Safely jump start a dead battery in seconds. These compact lithium jump starters accommodate a wide range of engines, from boats to ATVs to motorcycles to full-size cars and trucks. Advanced NOCO smart technology uses mistake-proof Powersports clamps to assure smooth, safe startups with no sparks, generates more starting power, and lasts longer than standard lead-acid jump starters.

- Safely jump starts dead 12V batteries
- · Use for boats, ATVs, motorcycles, cars, and trucks
- Mistake-proof Powersports clamps prevent sparks
- USB in/out ports for recharging smart devices

No.	Description	Price
NOC GB20	400 Amps Peak Power	\$89.99
NOC GB40	1000 Amps Peak Power	\$119.99
NOC GB70	2000 Amps	\$239.99





Battery Holder w/Strap

With Poly Strap Hold Down. Unique new polypropylene hold down strap with positive locking quick disconnect buckle matched with a molded base


No. THM BH24P - 24/24M Battery No. THM BH27P - 27/27M Battery



CARACO

Battery Boxes







NOCO Solar Chargers

Battery Life Solar-powered Battery Charger Maintainers are the perfect charger maintainers for use on boats, motorcycles, cars, trucks, or any vehicle that may experience infrequent use.

- Weather Resistant Seals
- UV Resistant
- Color Fade Resistant

INCLUDES: Solar Battery Charger Battery Terminal Clamps 12V Plug Connector Stainless Steel Screws



No.	Description	Price
NOC BLSOLAR2	12 v 2.5 W	\$36.99
NOC BLSOLAR5	12 v 5 W	\$69.99

Weego Deluxe Jump Starters

Weego jump starters are incredibly versatile - it jump starts, charges, powers and lights!


- Smarty Clamps™ with comprehensive safety protections¹ guide user through a safe and simple
- Surf 'n Turf approved IP65 rated for water, dust and dirt resistance
- Long-lasting only loses 2% charge per month when stored years of standby power!
- · Offers over 1,000 charging cycles

 Independent lab tested and backed by an 18-month warranty In the box: Precharged battery pack, Smarty Clamps™, wall & car chargers, hook & lanyard, water-resistant carrying case, owner's manual & quick start guide.

No.	Description	Jump Starts Engine Size	Price
WEG N22	6 Amp	4140	
WEG N44		4.6L	\$99.99
	12 Amp	6.4L	\$149.99
WEG N66	18 Amp	9.6L	\$199.99



BLUE SEA **Screw Terminal Blade Fuse Block**



· Cover insulates all conductive parts, satisfying ABYC/USCG requirements

· Tin-plated copper buses and fuse clips give 30 Ampere rating per circuit

Accepts ATO and ATC fast acting blade type fuses

No. BSS 5025 - 6 Circuit With Ground No. BSS 5026 - 12 Circuit With Ground

12 Circuit

6 Circuit

BLUE SEA Glass **Fuse Block System**

AGC 6 circuit with ground

- · Clear insulating cover with label recesses for standard Blue Sea Systems' labels
- · Cover insulates all conductive parts, satisfying ABYC/USCG requirements and storing spare
- Tin-plated copper buses and Beryllium copper fuse clips give full 30 Ampere rating per circuit
- Uses AGC (fast-acting), MDL (time-delay) and all other 3AG glass fuses

No. BSS 5015

SEPPOOFLINE

Double USB Power Sockets

Input 12V - 24V, Output DC 5V/3.1A. Total output is 3.1A with the load being split between the two sides as needed - enough to charge iPhones, iPads and almost all other

SDG 4265151 Fits Sea-Dog Line Power Socket Shell

SDG 4265201 Fits fits into any 13/16" X 1-7/16" rocker switch hole

No.	FITS	Price
SDG 4265151	Power Socket Shell	\$24.99
SDG 4265201	Rocker Switch Hole	\$29.99

SEPPOGLINE

Power Socket 12-Volt



Stamped Stainless/Injection Molded Nylon

Output DC 5V/2.1A. Fits Inside Sea-Dog Line Power Socket Shell

No. SDG 4260531 - Stainless Steel No. SDG 4261131 - Nylon

SEPPOGLINE

Double USB Socket/ Voltmeter W/ Hidden Display

This double USB socket allows for two devices to be charged simultaneously while also displaying the batteries output.

No. SDG 4265171

